OTHE 12007

OCT 2.6 2007

IFW

		U.S. 1			PTO/SB/21 (09-04) through 07/31/2006, OMB 0651-0031 J.S. DEPARTMENT OF COMMERCE
MARIX Under the Pape	erwork Reduction Act of 1995, r	no persons are required to respond to a co Application Number		mation unless it	
TR	ANSMITTAL	Filing Date			
		First Named Inventor		July 5, 2006 Stephen Gillies	
	FORM	Art Unit	1645	1 0111163	
		Examiner Name			
(to be used for a	Il correspondence after initial fil	ing)	Not yet	assigned	
Total Number of F	Pages in This Submission	Attorney Docket Number	ANTBH/	/P31763US	
		ENCLOSURES (Check all	that apply)		
Amendmen Afte Afte Affe Affe Extension Express At Information Certified Co Document(Reply to M Incomplete Rep	e Attached Int/Reply Introduction (s) Introdu	Drawing(s) Licensing-related Papers Petition Petition to Convert to a Provisional Application Power of Attorney, Revocation Change of Correspondence Attorned Change of Correspondence Attorned Change of Correspondence Attorned Correspondence Att	Address	Appea of Appea (Appea (s PTO Form 1449, rences, return receipt
	SIGNAT	URE OF APPLICANT, ATTO	RNEY, OF	RAGENT	
Firm Name	Palast Patent Grou	p LL/P			
Signature	Mule	1/	<u>,</u>		
Printed name	Charles Vorndran,				
Data I Dag No. 1			45,315		
CERTIFICATE OF TRANSMISSION/MAILING					
I hereby certify that sufficient postage a the date shown bel Signature	as first class mail in an enve	ng facsimile transmitted to the USPT elope addressed to: Commissioner fo	O or deposite r Patents, P.C	ed with the Un O. Box 1450, A	ited States Postal Service with Alexandria, VA 22313-1450 on
	- IMMOL	A-			
Typed or printed na	ame Pepgy McKin	ney		Date	October 24, 2007

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Approved for use through 05/31/2007. OMB 0651-0032 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

PTO/SB/17 (05-07)

Upger the Paperwork Reduction	n Act of 1995	no persons are require	ed to res	spond to a collection	of inforr	nation unless it display	s a valid OMB control number
Effective on 12/08/2004.				(Complete if Known		
Fees pursuant to the Consolidated Appropriations Act, 2005 (H.R. 4818).				Application Num	ber	10/596,997	
FEE TRANSMITTAL			L.	Filing Date		July 5, 2006	
For	• FY 2	007		First Named Inve	entor	Stephen Gillies	
Applicant claims small entity status. See 37 CFR 1.27				Examiner Name		Not Yet Assigned	
Applicant claims small	entity status	5. See 37 CFR 1.27		Art Unit		1645	
TOTAL AMOUNT OF PAYN	MENT (\$)	·		Attorney Docket	No.	ANTBH/P31763U	IS
METHOD OF PAYMENT	(check all	that apply)					
Check Credit C	ard I	Money Order	None	e Other (pl	lease ide	entify):	*
✓ Deposit Account De	eposit Accoun	nt Number: <u>50-3129</u>		Deposit Ac	count Na	_{ame:} Pabst Paten	t Group LLP
For the above-identifi	ied deposit	account, the Director	r is here	eby authorized to:	(check	all that apply)	
Charge fee(s)				Charge	e fee(s)	indicated below, ex-	cept for the filing fee
Charge any ac	lditional fee	(s) or underpayment	s of fee	e(s) Credit	any ove	erpayments	
under 37 CFR WARNING: Information on this	.,	• • •			-		rovide credit card
information and authorization of	_	-					
FEE CALCULATION							
1. BASIC FILING, SEAR	•						
	FILING	FEES : Small Entity	SEAR	CH FEES Small Entity	EXAN	INATION FEES Small Entity	
Application Type	Fee (\$)	***	Fee (\$)		Fee		Fees Paid (\$)
Utility	300	150	500	250	200	100	
Design	200	100	100	50	130	65	
Plant	200	100	300	150	160	80	
Reissue	300	150	500	250	600	300	·
Provisional	200	100	0	0	(0	1
2. EXCESS CLAIM FEE	S					Fee (\$)	Small Entity
Fee Description Each claim over 20 (in	ncluding R	eissues)				50	<u>Fee (\$)</u> 25
Each independent clai			s)			200	100
Multiple dependent cl						360	180
Total Claims	Extra Clair	ns Fee (\$)	Fee	Paid (\$)		Multiple De	ependent Claims
- 20 or HP =		X=	=			<u>Fee (\$)</u>	Fee Paid (\$)
HP = highest number of total indep. Claims	Extra Clair		Fee	Paid (\$)			
- 3 or HP =		x=					
HP = highest number of indep 3. APPLICATION SIZE F		s paid for, if greater than	า 3.				
If the specification and		exceed 100 sheets	of pap	er (excluding el	lectron	ically filed seque	nce or computer
listings under 37 CFR 1.52(e)), the application size fee due is \$250 (\$125 for small entity) for each additional 50							
sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s). Total Sheets Extra Sheets Number of each additional 50 or fraction thereof Fee (\$) Fee Paid (\$)							
100 = /50 = (round up to a whole number) x =							
4. OTHER FEE(S) Non-English Specification, \$130 fee (no small entity discount) Fees Paid (\$)							
,	•	•	entity C	iiscount)			
Other (e.g., late filing	surcharge	;):					
SUBMITTED BY							

Telephone 404-879-2153 Signature Date October 24, 2007 Name (Print/Type) Charles Vorndran

This collection of information is required by 37 CFR 1.136. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Stephen Gillies, Kin-Ming Lo, Yan Lan and Rakesh Verma

Serial No.: 10/596,997 Art Unit: 1645

I.A. Filed: July 5, 2006 Examiner: Not Yet Assigned

For: COMPOUNDS FOR TARGETING

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Sir:

Pursuant to 37 C.F.R. §1.56 and 37 C.F.R. §1.97, Applicants submit an Information Disclosure Statement, including eighteen (18) pages of Form PTO-1449, and copies of one hundred eighty-five (185) documents cited therein. Pursuant to the waiver in the notice entitled "Information Disclosure Statements May Be Filed Without Copies of U.S. Patents and Published Applications in Patent Applications Filed After June 30, 2003" published on August 5, 2003 in 1273 OG 55, copies of U.S. Patents and Published Applications are not enclosed. Copies will be provided upon request, however.

This Information Disclosure Statement is being filed under 37 C.F.R. § 1.97(b) prior to a first Office Action on the merits. It is believed that no fee is required with this submission. However, should a fee be required, the Commissioner is hereby authorized to charge any required fees to Deposit Account No. 50-1329.

U.S.S.N.: 10/596,997
Filed: July 5, 2006
INFORMATION DISCLOSURE STATEMENT

U.S. Patents

Number	Issue Date	Patentee	Class/Subclass
4,440,859	04-03-1984	Rutter, et al.	435/91.41
4,469,797	09-04-1984	Albarella	436/536
4,530,901	07-23-1985	Weissmann	435/69.51
4,582,800	04-15-1986	Crowl	435/69.51
4,677,063	06-30-1987	Mark, et al.	435/69.5
4,678,751	07-07-1987	Goeddel	435/252.3
4,704,362	11-03-1987	Itakura, et al.	435/252.3
4,710,463	12-01-1987	Murray	435/69.3
4,757,006	07-12-1988	Toole, Jr., et al.	435/69.6
4,766,075	08-23-1988	Goeddel, et al.	435/369
4,810,648	03-07-1989	Stalker	435/191
5,019,368	05-28-1991	Epstein, et al.	424/1.49
5,073,627	12-17-1991	Curtis, et al.	530/351
5,199,942	04-06-1993	Gillies	604/4.01
5,349,053	09-20-1994	Landolfi	530/351
5,457,038	10-10-1995	Trinchieri, et al.	435/69.52
5,480,981	01-02-1996	Goodwin, et al.	536/23.5
5,609,846	03-11-1997	Goldenberg	424/1.41
5,614,184	03-25-1997	Sytowski, et al.	424/85.1
5,650,150	07-22-1997	Gillies	424/134.1
5,650,492	07-22-1997	Gately, et al.	530/351
5,709,859	01-30-1998	Aruffo, et al.	424/134.1
5,728,552	03-17-1998	Fujisawa, et al.	435/69.5
5,858,347	01-12-1999	Bauer, et al.	424/85.2
5,891,680	04-06-1999	Lieschke, et al.	435/69.52
5,922,685	07-13-1999	Rakhmilevich, et al.	514/44
5,994,104	11-30-1999	Anderson, et al.	435/69.52
6,086,875	07-11-2000	Blumberg, et al.	424/134.1
6,169,070	01-02-2001	Chen, et al.	514/2
6,335,176	01-01-2002	Inglese, et al.	435/7.72
6,444,792	09-03-2002	Gray, et al.	530/387.3
6,485,726	11-26-2002	Blumberg, et al.	424/178.1
6,500,641	12-31-2002	Chen, et al.	435/69.1
6,551,592	04-22-2003	Lindhofer, et al.	424/136.1
6,620,413	09-16-2003	Sauvage, et al.	424/178.1
6,750,329	06-15-2004	Rosenblum, et al.	530/391.7

U.S.S.N.: 10/596,997

Filed: July 5, 2006
INFORMATION DISCLOSURE STATEMENT

U.S. Patent Applications

Number	Publication Date	<u>Inventor</u>	Class/Subclass
2001/0053539	12-20-2001	Lauffer, et al.	435/69.7
2002/0142374	10-03-2002	Gallo, et al.	435/69.1
2002/0192222	12-19-2002	Blumberg, et al.	424/178.1
2003/0012789	01-16-2003	Blumberg, et al.	424/145.1
2004/0013640	01-22-2004	Zardi, et al.	424/85.1

Foreign Documents

N.T.	D 11' 4' D 4	D 4	C 4
Number	Publication Date	Patentee Constant Paul Winter	Country
0 239 400	09-30-1987	Gregory Paul Winter	EP
0 251 744	01-07-1988	Delta Biotechnology, Ltd.	EP
0 258 067	03-02-1988	Delta Biotechnology, Ltd.	EP
0 344 134	11-29-1989	Ist. Naz. Ric. Sul. Cancro.	EP
0 350 230	01-10-1990	Res. Dev. Foundation	EP
0 375 562	06-27-1990	Oncogen	EP
0 396 387	11-07-1990	Res. Dev. Foundation	EP
0 433 827	06-26-1991	Hoffman La Roche	EP
0 706 799	04-17-1996	Merck Patent GmbH	EP
0 790 309	08-20-1997	Hoffman La Roche	EP
WO 88/00052	01-14-1988	Dartmouth College	PCT
WO 89/02922	04-06-1989	Genentech, Inc.	PCT
WO 90/01063	02-08-1990	Delta Biotechnology, Ltd.	PCT
WO 91/00360	01-10-1991	Medarex, Inc.	PCT
WO 91/14438	10-03-1991	University of Columbia	PCT
WO 95/21258	08-10-1995	U.S. Government	PCT
WO 95/31483	11-23-1995	Eclagen, Ltd.	PCT
WO 96/04388	02-15-1996	Smithkline Beecham, PLC	PCT
WO 96/18412	06-20-1996	Beth Israel Hospital	PCT
WO 96/40792	12-19-1996	Novonordisk AS	PCT
WO 97/00319	01-03-1997	Smithkline Beecham, PLC	PCT
WO 97/20062	06-05-1997	University of Massachusetts	PCT
WO 97/24440	07-10-1997	Genentech, Inc.	PCT
WO 97/33617	09-18-1997	Protein Design Labs, Inc.	PCT
WO 97/33619	09-18-1997	QLT Phototherapeutics, Inc.	PCT
WO 97/43316	11-20-1997	Beth Israel Hospital	PCT
WO 98/00127	01-08-1998	Univ. Bar Ilan	PCT
WO 98/28427	07-02-1998	Amgen, Inc.	PCT
WO 98/30706	07-16-1998	Alliance Pharma	PCT
WO 98/46257	10-22-1998	Amgen, Inc.	PCT
WO 99/02709	01-21-1999	Beth Israel Hospital	PCT
		•	

INFORMATION DISCLOSURE STATEMENT

1110 00/00722	06 17 1000	T DI C	DOT
WO 99/29732	06-17-1999	Lexigen Pharm Corp	PCT
WO 99/43713	09-02-1999	Lexigen Pharm Corp	PCT
WO 99/52562	10-21-1999	Lexigen Pharm Corp	PCT
WO 99/53958	10-28-1999	Lexigen Pharm Corp	PCT
WO 00/11033	03-02-2000	Lexigen Pharm Corp	PCT
WO 00/40615	07-13-2000	Lexigen Pharm Corp	PCT
WO 00/69913	11-23-2000	Lexigen Pharm Corp	PCT
WO 01/07081	02-01-2001	Lexigen Pharm Corp	PCT
WO 01/36489	05-25-2001	Merck Patent GmbH	PCT
WO 01/58957	08-16-2001	Lexigen Pharm Corp	PCT
WO 02/02143	01-10-2002	Lexigen Pharm Corp	PCT
WO 02/066514	08-29-2002	Lexigen Pharm Corp	PCT
WO 02/072605	09-19-2002	Lexigen Pharm Corp	PCT
WO 02/090566	11-14-2002	Lexigen Pharm Corp	PCT
WO 03/015697	02-27-2003	Univ. Southern California	PCT
WO 03/048334	06-12-2003	EMD Lexigen Res. CT Corp.	PCT
WO 03/076469	09-18-2003	Philogen S R L;	PCT
		Schering AG	
WO 03/077834	09-25-2003	Brigham and Women's	PCT
		Hospital	
WO 03/093478	11-13-2003	Molmed SPA	PCT

Publications

AFONSO, et al., "The adjuvant effect of interleukin-12 in a vaccine against Leishmania major", Science, 263(5144):235-7 (1994).

ANSELL, et al., "Phase 1 study of interleukin-12 in combination with rituximab in patients with B-cell non-Hodgkin lymphoma", *Blood*, 99(1):67-74 (2002).

BARBULESCU, et al., "IL-12 and IL-18 differentially regulate the transcriptional activity of the human IFN-gamma promoter in primary CD4+ T lymphocytes", *J. Immunol.*, 160(8):3642-7 (1998).

BEGGS, "Transformation of yeast by a replicating hybrid plasmid", *Nature*, 275(5676):104-9 (1978).

BERENT, et al., "Comparison of oligonucleotide and long DNA fragments as probes in DNA and RNA dot, southern, northern, colony and plaque hybridizations", *Biotechniques*, 3:208-220 (1985).

BETTER, et al., "Escherichia coli secretion of an active chimeric antibody fragment", Science, 240(4855):1041-3 (1988).

10/596,997

Filed:

July 5, 2006

INFORMATION DISCLOSURE STATEMENT

BIRD, et al., "Single-chain antigen-binding proteins", Science, 242(4877):423-6 (1988).

BITONTI, et al., "Transepithelial absorption of an erythropoietin-Fc fusion protein after delivery to the central airways", Respiratory Drug Delivery, 8:308-312 (2002).

BOSHART, et al., "A very strong enhancer is located upstream of an immediate early gene of human cytomegalovirus", Cell, 41(2):521-30 (1985).

CARNEMOLLA, et al., "A tumor-associated fibronectin isoform generated by alternative splicing of messenger RNA precursors", J. Cell Biol., 108(3):1139-1148 (1989).

CARNEMOLLA, et al., "The inclusion of the type III repeat ED-B in the fibronectin molecule generates conformational modifications that unmask a cryptic sequence", *J. Biol. Chem.*, 267(34):24689-92 (1992).

CHAN, "Induction of interferon gamma production by natural killer cell stimulatory factor: characterization of the responder cells and synergy with other inducers", *J. Exp. Med.*, 173(4):869-79 (1991).

CHEN, et al., "Eradication of murine bladder carcinoma by intratumor injection of a bicistronic adenoviral vector carrying cDNAs for the IL-12 heterodimer and its inhibition by the IL-12 p40 subunit homodimer", J. Immunol., 159(1):351-9 (1997).

COHEN, et al., "Nonchromosomal antibiotic resistance in bacteria: genetic transformation of *Escherichia coli* by R-factor DNA", *Proc. Natl. Acad. Sci. U.S.A.*, 69(8):2110-4 (1972).

COLOMBO, et al., "Amount of interleukin 12 available at the tumor site is critical for tumor regression", Cancer Res., 56(11):2531-4 (1996).

D'ANDREA, et al., "Production of natural killer cell stimulatory factor (interleukin 12) by peripheral blood mononuclear cells", J. Exp. Med., 176(5):1387-98 (1992).

DESAI, et al., "IL-12 receptor. II. Distribution and regulation of receptor expression", J. Immunol., 148(10):3125-32 (1992).

DICKERSON, et al., Proceedings of the American Association for Cancer Research Annual Meeting No. 41, page 798, abstract no. 5074 (2000).

DORAN, et al., "Expression of ED-B fibronectin in renal carcinoma and metastatic melanoma and targeted therapy with AS1409, a potent immunocytokine", Abstract presentation 5th Int. Congress on Targeted Therapies in Cancer, NY (2006).

10/596,997

Filed:

July 5, 2006

INFORMATION DISCLOSURE STATEMENT

EMTAGE, et al., "Generating potent Th1/Tc1 T cell adoptive immunotherapy doses using human IL-12: Harnessing the immunomodulatory potential of IL-12 without the in vivo-associated toxicity", J. Immunother., 26(2):97-106 (2003).

FFRENCH-CONSTANT, et al., "Reappearance of an embryonic pattern of fibronectin splicing during wound healing in the adult rat", J. Cell Biol., 109(2):903-14 (1989).

GATELY, et al., "The interleukin-12/interleukin-12-receptor system: role in normal and pathologic immune responses", Annu. Rev. Immunol., 16:495-521 (1998).

GILLESSEN, et al., "Mouse interleukin-12 (IL-12) p40 homodimer: a potent IL-12 antagonist", Eur. J. Immunol., 25(1):200-6 (1995).

GILLIES, et al., "Antibody-IL-12 fusion proteins are effective in SCID mouse models of prostate and colon carcinoma metastases", J. Immunol., 160(12):6195-203 (1998).

GILLIES, et al., "Improved circulating half-life and efficacy of an antibody-interleukin 2 immunocytokine based on reduced intracellular proteolysis", *Clin. Cancer Res.*, 8(1):210-6 (2002).

GOLLOB, et al., "Phase I trial of twice-weekly intravenous interleukin 12 in patients with metastatic renal cell cancer or malignant melanoma: ability to maintain IFN-gamma induction is associated with clinical response", Clin. Cancer Res., 6(5):1678-92 (2000).

GUBLER and PRESKY, "Molecular biology of interleukin-12 receptors", Ann. N.Y. Acad. Sci., 795:36-40 (1996).

HALIN, et al., "Enhancement of the antitumor activity of interleukin-12 by targeted delivery to neovasculature", *Nat. Biotechnol.*, 20(3):264-9 (2002).

HALIN, "Synergistic therapeutic effects of a tumor targeting antibody fragment, fused to interleukin 12 and to tumor necrosis factor alpha", Cancer Res., 63(12):3202-10 (2003).

HASHIMOTO, et al., "Differential antitumor effects of administration of recombinant IL-18 or recombinant IL-12 are mediated primarily by Fas-Fas ligand- and perforin-induced tumor apoptosis, respectively", *J. Immunol.*, 163(2):583-9 (1999).

HEINZEL, et al., "In vivo production and function of IL-12 p40 homodimers", J. Immunol., 158(9):4381-8 (1997).

INFORMATION DISCLOSURE STATEMENT

HEINZERLING, et al., "Tumor regression of human and murine melanoma after intratumoral injection of IL-12-encoding plasmid DNA in mice", *Exp. Dermatol.*, 11(3):232-40 (2002).

HOOGENBOOM, et al, "Construction and expression of antibody-tumor necrosis factor fusion proteins", Mol. Immunol., 28(9):1027-37 (1991).

HOOGENBOOM, et al., "Targeting of tumor necrosis factor to tumor cells: secretion by myeloma cells of a genetically engineered antibody-tumor necrosis factor hybrid molecule", *Biochim. Biophys. Acta.*, 1096(4):345-54 (1991).

HUANG, et al., "Tumor infarction in mice by antibody-directed targeting of tissue factor to tumor vasculature", *Science*, 275(5299):547-50 (1997).

HUSTON, et al., "Protein engineering of antibody binding sites: recovery of specific activity in an anti-digoxin single-chain Fv analogue produced in *Escherichia coli*", *Proc. Natl. Acad. Sci. U.S.A.*, 85(16):5879-83 (1988).

IWASAKI, et al., "A critical role for IL-12 in CCR5 induction on T cell receptor-triggered mouse CD4(+) and CD8(+) T cells", Eur. J. Immunol., 31(8):2411-20 (2001).

JONES, et al., "Replacing the complementarity-determining regions in a human antibody with those from a mouse", *Nature*, 321(6069):522-5 (1986).

JONES, et al., "The development of a modified human IFN-alpha2b linked to the Fc portion of human IgG1 as a novel potential therapeutic for the treatment of hepatitis C virus infection", J. Interferon Cytokine Res., 24(9):560-72 (2004).

JONES, et al., "Production of an IgG1-IL12 fusion protein", presentation at *Optimizing Cell Culture Development* (2006).

KANG, et al., "Interleukin 12 gene therapy of cancer by peritumoral injection of transduced autologous fibroblasts: outcome of a phase I study", *Hum. Gene Ther.*, 12(6):671-84 (2001).

KIM, "An ovalbumin-IL-12 fusion protein is more effective than ovalbumin plus free recombinant IL-12 in inducing a T helper cell type 1-dominated immune response and inhibiting antigen-specific IgE production", J. Immunol., 158(9):4137-44 (1997).

KING, et al., "Phase I clinical trial of the immunocytokine EMD 273063 in melanoma patients", J. Clin. Oncol., 22(22):4463-73 (2004).

INFORMATION DISCLOSURE STATEMENT

- KO, et al., "Safety, pharmacokinetics, and biological pharmacodynamics of the immunocytokine EMD 273066 (huKS-IL2): results of a phase I trial in patients with prostate cancer", J. Immunother., 27(3):232-9 (2004)
- KOZAK, "Point mutations close to the AUG initiator codon affect the efficiency of translation of rat preproinsulin *in vivo*", *Nature*, 308(5956):241-6 (1984).
- LADELL, et al., "A combination of plasmid DNAs encoding murine fetal liver kinase 1 extracellular domain, murine interleukin-12, and murine interferon-gamma inducible protein-10 leads to tumor regression and survival in melanoma-bearing mice", J. Mol. Med., 81(4):271-8 (2003).
- LEBERTHON, et al., "Enhanced tumor uptake of macromolecules induced by a novel vasoactive interleukin 2 immunoconjugate", Cancer Res., 51(10):2694-8 (1991).
- LI, et al., "Regression of tumor growth and induction of long-term antitumor memory by interleukin 12 electro-gene therapy", J. Natl. Cancer Inst., 94(10):762-8 (2002).
- LI, et al. "Candidate genes associated with tumor regression mediated by intratumoral IL-12 electroporation gene therapy", *Mol. Ther.*, 9(3):347-54 (2004).
- LIESCHKE, et al., "Bioactive murine and human interleukin-12 fusion proteins which retain antitumor activity in vivo", *Nat. Biotechnol.*, 15(1):35-40 (1997).
- LINSLEY, et al., "CTLA-4 is a second receptor for the B cell activation antigen B7", J. Exp. Med., 174(3):561-9 (1991).
- LIU, et al., "Hormone conjugated with antibody to CD3 mediates cytotoxic T cell lysis of human melanoma cells", *Science*, 239(4838):395-8 (1988).
- LO, et al., "High level expression and secretion of Fc-X fusion proteins in mammalian cells", *Protein Eng.*, 11(6):495-500 (1998).
- LO, et al., "Engineering a pharmacologically superior form of leptin for the treatment of obesity", *Protein Eng. Des. Sel.*, 18(1):1-10 (2005).
 - LO, et al., "Targeted delivery of IL12 via a pan-tumor-specific antibody" (2005).
- LO, et al., "huBC1-IL12, an immunocytokine which targets EDB-containing oncofetal fibronectin in tumors and tumor vasculature, shows potent anti-tumor activity in human tumor models", Cancer Immunol. Immunother., 56(4):447-57 (2007).

10/596,997

Filed:

July 5, 2006 INFORMATION DISCLOSURE STATEMENT

- LODE, et al., "Targeted interleukin-2 therapy for spontaneous neuroblastoma metastases to bone marrow", J. Natl. Cancer Inst., 89(21):1586-94 (1997).
- LODE, et al., "Immunocytokines: a promising approach to cancer immunotherapy", Pharmacol. Ther., 80(3):277-92 (1998).
- LODE, et al., "Natural killer cell-mediated eradication of neuroblastoma metastases to bone marrow by targeted interleukin-2 therapy", Blood, 91(5):1706-15 (1998).
- LODE, et al., "Gene therapy with a single chain interleukin 12 fusion protein induces T cell-dependent protective immunity in a syngeneic model of murine neuroblastoma", Proc. Natl. Acad. Sci. U.S.A., 95(5):2475-80 (1998).
- LODE, et al., "Synergy between an antiangiogenic integrin alphav antagonist and an antibody-cytokine fusion protein eradicates spontaneous tumor metastases", Proc. Natl. Acad. Sci. U.S.A., 96(4):1591-6 (1999).
- LODE, et al., "Tumor-targeted IL-2 amplifies T cell-mediated immune response induced by gene therapy with single-chain IL-12", Proc. Natl. Acad. Sci. U.S.A., 96(15):8591-6 (1999).
- LODE, et al., "Amplification of T cell-mediated immune responses by antibody-cytokine fusion proteins", Immunol. Invest., 29(2):117-20 (2000).
- LODE, et al., "Melanoma immunotherapy by targeted IL-2 depends on CD4(+) T-cell help mediated by CD40/CD40L interaction", J. Clin. Invest., 105(11):1623-30 (2000).
- LODE, et al., "What to do with targeted IL-2", Drugs Today (Barc), 36(5):321-36 (2000).
- LOTZE, et al., "Cytokine gene therapy of cancer using interleukin-12: murine and clinical trials", Ann. N.Y. Acad. Sci., 795:440-54 (1996).
- MAGHAZACHI, et al., "Interferon-inducible protein-10 and lymphotactin induce the chemotaxis and mobilization of intracellular calcium in natural killer cells through pertussis toxin-sensitive and -insensitive heterotrimeric G-proteins", FASEB J., 11(10):765-74 (1997).
- MAJEWSKI, et al., "Interleukin-12 inhibits angiogenesis induced by human tumor cell lines in vivo", J. Invest. Dermatol., 106(5):1114-8 (1996).
- MANDPE, et al., "Cure of an established nonimmunogenic tumor, SCC VII, with a novel interleukin 12-based immunotherapy regimen in C3H mice", Arch. Otolaryngol. Head Neck Surg., 129(7):786-92 (2003).

INFORMATION DISCLOSURE STATEMENT

MARIANI, et al., "Tumor targeting potential of the monoclonal antibody BC-1 against oncofetal fibronectin in nude mice bearing human tumor implants", *Cancer*, 80(12 Suppl):2378-84 (1997).

MARK, et al., "Expression and characterization of hepatocyte growth factor receptor-IgG fusion proteins. Effects of mutations in the potential proteolytic cleavage site on processing and ligand binding", J. Biol. Chem., 267(36):26166-71 (1992).

MARTINOTTI, et al., "CD4 T cells inhibit in vivo the CD8-mediated immune response against murine colon carcinoma cells transduced with interleukin-12 genes", *Eur. J. Immunol.*, 25(1):137-46 (1995).

MASIERO, et al., "New anti-angiogenesis agents: review of the clinical experience with carboxyamido-triazole (CAI), thalidomide, TNP-470 and interleukin-12", *Angiogenesis*, 1(1):23-35 (1997).

MAZZOLINI, et al., "Regression of colon cancer and induction of antitumor immunity by intratumoral injection of adenovirus expressing interleukin-12", Cancer Gene Ther., 6(6):514-22 (1999).

MEHROTRA, et al., "Effects of IL-12 on the generation of cytotoxic activity in human CD8+ T lymphocytes", J. Immunol., 151(5):2444-52 (1993).

MIDULLA, et al., "Source of oncofetal ED-B-containing fibronectin: implications of production by both tumor and endothelial cells", Cancer Res., 60(1):164-9 (2000).

MORRISON, et al., "Chimeric human antibody molecules: mouse antigen-binding domains with human constant region domains", *Proc. Natl. Acad. Sci. U.S.A.*, 81(21):6851-5 (1984).

MOSMANN, et al., "TH1 and TH2 cells: different patterns of lymphokine secretion lead to different functional properties", Annu. Rev. Immunol., 7:145-73 (1989).

MULLINS, et al., "Interleukin-12 overcomes paclitaxel-mediated suppression of T-cell proliferation", *Immunopharmacol. Immunotoxicol.*, 20(4):473-92 (1998).

NARAMURA, et al., "Mechanisms of cellular cytotoxicity mediated by a recombinant antibody-IL2 fusion protein against human melanoma cells", *Immunol. Lett.*, 39(1):91-9 (1993).

NIETHAMMER, et al., "Targeted interleukin 2 therapy enhances protective immunity induced by an autologous oral DNA vaccine against murine melanoma", *Cancer Res.*, 61(16):6178-84 (2001).

INFORMATION DISCLOSURE STATEMENT

O'SULLIVAN, et al., "Comparison of two methods of preparing enzyme-antibody conjugates: application of these conjugates for enzyme immunoassay", *Anal. Biochem.*, 100(1):100-8 (1979).

PALUCKA, et al., "Dendritic cells as the terminal stage of monocyte differentiation", *J. Immunol.*, 160(9):4587-95 (1998).

PANCOOK, et al., "Eradication of established hepatic human neuroblastoma metastases in mice with severe combined immunodeficiency by antibody-targeted interleukin-2", Cancer Immunol. Immunother., 42(2):88-92 (1996).

PARIHAR, et al., "IL-12 enhances the natural killer cell cytokine response to Ab-coated tumor cells", J. Clin. Invest., 110(7):983-92 (2002).

PARIHAR, et al., "A phase I study of interleukin 12 with trastuzumab in patients with human epidermal growth factor receptor-2-overexpressing malignancies: analysis of sustained interferon gamma production in a subset of patients", Clin. Cancer Res., 10(15):5027-37 (2004).

PARK, et al., "CD28 costimulation is required not only to induce IL-12 receptor but also to render janus kinases/STAT4 responsive to IL-12 stimulation in TCR-triggered T cells", *Eur. J. Immunol.*, 31(5):1456-64 (2001).

PEDLEY, et al., "Enhancement of antibody-directed enzyme prodrug therapy in colorectal xenografts by an antivascular agent", Cancer Res., 59(16):3998-4003 (1999).

PENG, et al., "Mechanism of antitumor activity of a single-chain interleukin-12 IgG3 antibody fusion protein (mscIL-12.her2.IgG3)", J. Interferon Cytokine Res., 21(9):709-20 (2001).

PEREZ, et al., "Specific targeting of human peripheral blood T cells by heteroaggregates containing anti-T3 crosslinked to anti-target cell antibodies", *J. Exp. Med.*, 163(1):166-78 (1986).

PERUSSIA, et al., "Natural killer (NK) cell stimulatory factor or IL-12 has differential effects on the proliferation of TCR-alpha beta+, TCR-gamma delta+ T lymphocytes, and NK cells", J. Immunol., 149(11):3495-502 (1992).

PORTIELJE, et al., "Subcutaneous injection of interleukin 12 induces systemic inflammatory responses in humans: implications for the use of IL-12 as vaccine adjuvant", Cancer Immunol. Immunother., 54(1):37-43 (2005).

10/596,997

Filed:

July 5, 2006 INFORMATION DISCLOSURE STATEMENT

PUTZER, et al., "Interleukin 12 and B7-1 costimulatory molecule expressed by an adenovirus vector act synergistically to facilitate tumor regression", Proc. Natl. Acad. Sci. U.S.A., 94(20):10889-94 (1997).

RAKHMILEVICH, et al., "Treatment of experimental breast cancer using interleukin-12 gene therapy combined with anti-vascular endothelial growth factor receptor-2 antibody", Mol. Cancer Ther., 3(8):969-76 (2004).

REISFELD, et al., "Antibody-interleukin 2 fusion proteins: a new approach to cancer therapy", J. Clin. Lab Anal., 10(3):160-6 (1996).

REISFELD, et al., "Involvement of B lymphocytes in the growth inhibition of human pulmonary melanoma metastases in athymic nu/nu mice by an antibody-lymphotoxin fusion protein", Cancer Res., 56(8):1707-12 (1996).

REISFELD, et al., "Recombinant antibody fusion proteins for cancer immunotherapy", Curr. Top. Microbiol. Immunol., 213 (Pt 3):27-53 (1996).

REISFELD, et al., "Immunocytokines: a new approach to immunotherapy of melanoma", Melanoma Res., 7 Suppl 2:S99-106 (1997).

RIECHMANN, et al., "Reshaping human antibodies for therapy", Nature, 332(6162):323-7 (1988).

ROSENBERG, "Immunotherapy of cancer using interleukin 2: current status and future prospects", Immunol. Today, 9(2):58-62 (1988).

RUEHLMANN, et al. "MIG (CXCL9) chemokine gene therapy combines with antibodycytokine fusion protein to suppress growth and dissemination of murine colon carcinoma", Cancer Res., 61(23):8498-503 (2001).

SABZEVARI, et al., "A recombinant antibody-interleukin 2 fusion protein suppresses growth of hepatic human neuroblastoma metastases in severe combined immunodeficiency mice", Proc. Natl. Acad. Sci. U.S.A., 91(20):9626-30 (1994).

SAIKI, et al., "Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase", Science, 239(4839):487-91 (1988).

SAMBROOK, et al., Molecular Cloning, A Laboratory Manual, pp. 1.74-1.84 (1989).

SAVAGE, et al., "A recombinant single chain antibody interleukin-2 fusion protein", Br. J. Cancer, 67(2):304-10 (1993).

INFORMATION DISCLOSURE STATEMENT

SCHNEE, et al, "Construction and expression of a recombinant antibody-targeted plasminogen activator", *Proc. Natl. Acad. Sci. U.S.A.*, 84(19):6904-8 (1987).

SCHOENHAUT, et al., "Cloning and expression of murine IL-12", *J. Immunol.*, 148(11):3433-40 (1992).

SENTER, et al., "Anti-tumor effects of antibody-alkaline phosphatase conjugates in combination with etoposide phosphate", *Proc. Natl. Acad. Sci. U.S.A.*, 85(13):4842-6 (1988).

SHIN, et al., "Expression and characterization of an antibody binding specificity joined to insulin-like growth factor 1: potential applications for cellular targeting", *Proc. Natl. Acad. Sci. U.S.A.*, 87(14):5322-6 (1990).

SKERRA, et al., "Assembly of a functional immunoglobulin Fv fragment in *Escherichia coli*", *Science*, 240(4855):1038-41 (1988).

SOUTHERN, "Detection of specific sequences among DNA fragments separated by gel electrophoresis", J. Mol. Biol., 98(3):503-17 (1975).

TAKAHARA, et al., "The omp'A signal peptide directed secretion of Staphylococcal nuclease A by Escherichia coli", J. Biol. Chem., 260(5):2670-4 (1985).

THORPE, et al., "The first international conference on vascular targeting: meeting overview", Cancer Res., 63(5):1144-7 (2003).

THURNER, et al., "Generation of large numbers of fully mature and stable dendritic cells from leukapheresis products for clinical application", J. Immunol. Methods, 223(1):1-15 (1999).

TILL, et al., "An assay that predicts the ability of monoclonal antibodies to form potent ricin A chain-containing immunotoxins", Cancer Res., 48(5):1119-23 (1988).

TILL, et al., "HIV-infected cells are killed by rCD4-ricin A chain", Science, 242(4882):1166-8 (1988).

TRINCHIERI, "Interleukin-12: a cytokine produced by antigen-presenting cells with immunoregulatory functions in the generation of T-helper cells type 1 and cytotoxic lymphocytes", *Blood*, 84(12):4008-27 (1994).

VAN HERPEN, et al., "Intratumoral recombinant human interleukin-12 administration in head and neck squamous cell carcinoma patients modifies locoregional lymph node architecture and induces natural killer cell infiltration in the primary tumor", *Clin. Cancer Res.*, 11(5):1899-909 (2005).

10/596,997

Filed: July 5, 2006
INFORMATION DISCLOSURE STATEMENT

VAN VLIET, et al., "Distribution of fibronectin isoforms in human renal disease", J. Pathol., 193(2):256-62 (2001).

VERHOEYEN, et al., "Reshaping human antibodies: grafting an antilysozyme activity", *Science*, 239(4847):1534-6 (1988).

VERMA, et al., "Targeted delivery of IL12 via an antibody for tumor and tmoral angiogenesis" (2006).

VITI, et al., "Increased binding affinity and valence of recombinant antibody fragments lead to improved targeting of tumoral angiogenesis", Cancer Res., 59(2):347-52 (1999).

VOGEL, et al., "Direct binding of IL-12 to human and murine B lymphocytes", *Int. Immunol.*, 8(12):1955-62 (1996).

WADLER, et al., "A phase II trial of interleukin-12 in patients with advanced cervical cancer: clinical and immunologic correlates. Eastern Cooperative Oncology Group study E1E96", Gynecol. Oncol., 92(3):957-64 (2004).

WARD, et al., "Binding activities of a repertoire of single immunoglobulin variable domains secreted from *Escherichia coli*", *Nature*, 341(6242):544-6 (1989).

WIGGINTON, et al., "Complete regression of established spontaneous mammary carcinoma and the therapeutic prevention of genetically programmed neoplastic transition by IL-12/pulse IL-2: induction of local T cell infiltration, Fas/Fas ligand gene expression, and mammary epithelial apoptosis", *J. Immunol.*, 166(2):1156-68 (2001).

WILLIAMS, et al., "Production of antibody-tagged enzymes by myeloma cells: application to DNA polymerase I Klenow fragment", *Gene*, 43(3):319-24 (1986).

WINTER and MILSTEIN, "Man-made antibodies", Nature, 349(6307):293-9 (1991).

WOOLEY, et al., "Influence of a recombinant human soluble tumor necrosis factor receptor FC fusion protein on type II collagen-induced arthritis in mice", *J. Immunol.*, 151(11):6602-7 (1993).

XIANG, et al., "Elimination of established murine colon carcinoma metastases by antibody-interleukin 2 fusion protein therapy", Cancer Res., 57(21):4948-55 (1997).

YAMAZAKI, et al., "Effective gene therapy for medullary thyroid carcinoma using recombinant adenovirus inducing tumor-specific expression of interleukin-12", Gene Ther., 9(1):64-74 (2002).

10/596,997

Filed:

July 5, 2006

INFORMATION DISCLOSURE STATEMENT

YOUNG, et al., "Thermal stabilization of a single-chain Fv antibody fragment by introduction of a disulphide bond", FEBS Lett., 377(2):135-9 (1995).

ZAGOZDZON, et al., "Potentiation of antitumor effects of IL-12 in combination with paclitaxel in murine melanoma model in vivo", Int. J. Mol. Med., 4(6):645-8 (1999).

ZHENG, et al., "Administration of noncytolytic IL-10/Fc in murine models of lipopolysaccharide-induced septic shock and allogeneic islet transplantation", *J. Immunol.*, 154(10):5590-600 (1995).

ZHU, et al., "Inhibition of tumor growth and metastasis by targeting tumor-associated angiogenesis with antagonists to the receptors of vascular endothelial growth factor", Invest. New Drugs, 17(3):195-212 (1999).

10/596,997

Filed:

July 5, 2006

INFORMATION DISCLOSURE STATEMENT

Remarks

This statement should not be interpreted as a representation that an exhaustive search has been conducted or that no better art exists. Moreover, Applicants invite the Examiner to make an independent evaluation of the cited art to determine its relevance to the subject matter of the present application. Applicants are of the opinion that their claims patentably distinguish over the art referred to herein, either alone or in combination.

Respectfully submitted,

Charles Vorndran, Ph.D.

Reg. No. 45,315

Dated: October 24, 2007

PABST PATENT GROUP LLP 400 Colony Square, Suite 1200 1201 Peachtree Street Atlanta, Georgia 30361 (404) 879-2153 (Telephone) (404) 879-2160 (Fax)